



(508) 563-7102
1280 MA-28A,
Cataumet, MA 02534

251 CE

25' Coastal Explorer



251 CE Main Specifications

Beam Amidships	8'6" (2.59 m)
Center Line Length w/o Engines	24'7" (7.49 m)
Bridge Clearance	8'1" (2.46 m)
Cockpit Depth	20" (0.51 m)
Hull Draft	14" (0.36 m)
Transom Deadrise	16 degrees (SeaV²® progression)
Maximum HP	300 (224 kW)
Fuel Capacity - Standard	78 gal. (295 l)
Passenger Capacity	10
Weight w/o Engines	3715 lb. (1685 kg)

251 CE Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Composite stringer system & transom - water impervious

Cockpit & Deck

100% hand laid SeaV² hull & deck

Batteries (2) w/battery select switch (1)

Casting platform insert w/cushion

Cleats - flush mount (pull up)

Cockpit lights - blue LED

Cockpit freshwater shower (recessed)

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (8)

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (2)

Stainless steel through-hull fittings

Stern rail - low profile 316 grade stainless steel

Rod holders - cockpit (4)

Rod storage - forward vertical (6)

Rod storage - lockable horizontal (4)

Rubrail - high density PVC w/stainless steel insert

Seating - aft bench seat w/port & starboard folding backrests & under seat drop-in boxes

Seating - Deluxe lean bar w/backrest, lockable storage, rod holders (4), 25-gallon (95 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (800 GPH pump) (3028 LPH)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fish box - 74-qt. (81.5 l) forward port & starboard insulated fish box w/ob drain (2)

Hydraulic trim tabs w/indicator & retractor

International lighting

Ladder - aft swim ladder

Ladder - bow access ladder w/storage enclosure

Livewell - 12.75-gallon (48.3 l) aft insulated raw water livewell w/light & ob drain (500 GPH pump) (1893 LPH)

Console

Accessory outlet - 12V (2)

Compass

Drink holders - stainless steel (2)

Fish box - 29-qt. (27 l) insulated storage box under forward console seat

Flush mount electronics area

Head - lockable console w/stand up head area, dome light, bulk storage & portable head

Seating - port & starboard bow cushioned seating w/folding backrests

Stereo system w/waterproof touch screen display, AM/FM tuner & Wi-Fi & Bluetooth® connectivity; speakers w/LED lights - bow (2), cockpit (2)

Stern eyes - 316 grade stainless steel

Storage - aft rigging compartments (2)

Storage - forward anchor locker w/rode storage

Storage - port bow compartment w/drawer

Storage - starboard bow compartment w/tackle boxes (4)

Washdown - pressurized raw water w/hose

Water tank - 10-gallon (38 l) fresh water

Seating - molded forward console seat w/cushion & backrest

Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick)

Steering wheel - 316 grade stainless steel w/knob

T-top w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue, white) LED recessed lights (3) & radar flat

Window - opening window w/screen

Windshield - scratch resistant acrylic integrated w/T-top

OPTIONAL FEATURES

Options

Bow table package

CE certification package (European Conformity)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Lighting - underwater blue LED (2)

Seating - aft bench seat center backrest

Ski arch

Steering - Helm Master® EX w/Full Maneuverability

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Trolling motor pre-rig - swivel mounting bracket w/quick release, head stabilizer, batteries (3), and 20-amp battery charger (trolling motor not included)

Windshield wiper

Canvas Options

Easy up bow shade (ivory mesh)
