

(508) 563-7102 1280 MA-28A, Cataumet, MA 02534

Canyon 306

30' Center Console



Canyon 306 Main Specifications

Beam Amidships	10'7" (3.23 m)
Center Line Length w/o Engines	30'6" (9.30 m)
Bridge Clearance	8'7" (2.62 m)
Cockpit Depth	27" (0.69 m)
Hull Draft	21" (0.53 m)
Transom Deadrise	19.5 degrees (SeaV ^{2®} progression)
Maximum HP	700 (522 kW)
Fuel Capacity - Standard	290 gal. (1098 l)
Weight w/o Engines	6950 lb. (3152 kg)

Canyon 306 Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)	Fire extinguisher holder
Basic flotation	Nonskid fiberglass liner
Bow grab rail - low profile 316 grade stainless steel	Self-bailing cockpit w/cockpit drains (4)
Cockpit toe rails	Stainless steel through-hull fittings
Composite stringer system & transom - water impervious	
Cockpit & Deck	
100% hand laid SeaV² hull & deck	Integrated outboard mounting system w/swim platform &
Anchor windlass w/remote switches at helm & windlass Batteries (3) w/battery select switches (one per engine)	ladder International lighting
Cleats - flush mount (pull up)	Rod holders - bow (2), cockpit (6)
Cockpit bolsters	Rod storage - lockable horizontal (6)
Cockpit freshwater shower (recessed)	Rod storage racks - horizontal (3)
Cockpit lights - blue LED	Rubrail - high density PVC w/stainless steel insert
Cockpit side door - port w/boarding ladder	Seating - foldaway aft bench seat w/cushion

Cockpit step - starboard	Seating - port & starboard bow seating w/forward facing foldaway bolstered backrest (2)
Convenience package - battery charger (1) & dockside power w/galvanic isolator	Stereo - Deluxe stereo system w/waterproof touch screen display, AWFM tuner, Wi-Fi & Bluetooth® connectivity &
Deck hardware - 316 grade stainless steel through-bolted	helm subwoofer; speakers w/LED lights - bow (2), T-top (2), cockpit (2)
Drink holders - stainless steel (7)	Stern eyes - 316 grade stainless steel
Engine flush system w/hose attachment aft (one per engine)	Storage - forward anchor locker w/rode storage
Fish box - 150-qt. (142 I) port & starboard insulated fish box w/ob drain (2)	Transducer mounting flats
Fish box - 304-qt. (287.7 l) aft insulated fish box w/divider, light & ob drain	Transom door - fiberglass
	Washdown - freshwater (forward & aft) w/hose
Forward bolsters	Washdown - pressurized raw water (forward & aft) w/hose
Hydraulic trim tabs w/indicator & retractor	Water tank - 32-gallon (121.1 I) freshwater
Console	
Accessory outlet - 5V duplex USB port	Head - lockable console w/lighting, shower, sink, bulk
Accessory outlet - 12V	storage drawers, helm access door w/light, composite cherry & holly sole, fold down seat & marine head w/electric flush, (10-gallon) (38 l) holding tank w/macerator, overboard discharge & deck pump out
Compass	
Console grab rail	Seating - molded forward console seat w/cushion
Console ventilator	Steering - Helm Master® EX w/Integrated Digital Electric
Door - lockable acrylic console door	Steering (does not include joystick)
Drink holders - stainless steel (3)	Steering wheel - 316 grade stainless steel w/knob
Factory engine pre-rigging	Storage - under footrest
Flush mount electronics area	T-top w/painted aluminum frame, radio box, storage net, tri- colored (red, blue, white) LED recessed lights (4), fore/aft
Footrest - molded console footrest	spreader lights, rod holders (4), radar flat & outrigger plates
	Window - tinted frameless acrylic
	Windshield - scratch resistant acrylic integrated w/T-top
	Windshield wiper w/washer
Deluxe Lean Bar	
Drink holders - stainless steel (2)	Rod holders (4)
Footrests - fold down (2)	Seating - lean bar mounted Command Elite helm chairs (2) horizontally adjustable w/deluxe cushioning & flip-up bolsters
Knife & plier holders	
Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)	Storage - lockable storage drawers

OPTIONAL FEATURES

Options

Bow thruster

Casting platform insert w/cushions

CE certification package (European Conformity)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Lighting - underwater blue LED (3)

Canvas Options

Easy up bow shade (ivory mesh)

Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles

Steering - Helm Master® EX w/Full Maneuverability

Table - fiberglass bow table

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

T-top side wing curtains (ivory)