

(508) 563-7102 1280 MA-28A, Cataumet, MA 02534

Canyon 336

33' Center Console



Canyon 336 Main Specifications

Beam Amidships	11'7" (3.53 m)
Center Line Length w/o Engines	33'6" (10.21 m)
Bridge Clearance	9'4" (2.84 m)
Cockpit Depth	29" (0.74 m)
Hull Draft	26" (0.66 m)
Transom Deadrise	20 degrees (SeaV progression)
Maximum HP	900 (671 kW)
Fuel Capacity - Standard	361 gal. (1367 l)
Weight w/o Engines	10,100 lb. (4581 kg)

Canyon 336 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pumps (2) (total 3000 GPH) (11356 LPH) Fire extinguisher holder

Basic flotation Nonskid fiberglass liner

Bow grab rail - low profile 316 grade stainless steel Self-bailing cockpit w/cockpit drains (6)

Cockpit toe rails Stainless steel through-hull fittings

Composite stringer system & transom - water impervious Yamaha Siren Marine Vessel Monitoring System

Cockpit & Deck

100% hand laid SeaV² hull & deck Hydraulic trim tabs w/indicator & retractor

Anchor windlass w/remote switches at helm & windlass Integrated outboard mounting system w/swim platform &

ladder
Batteries (4) w/battery select switches (one per engine) & charger

system (1) International lighting

Cleats - flush mount (pull up) Rod holders - bow (4), amidships (2), cockpit (5)

Cockpit bolsters Rod storage racks - horizontal (3)

Cockpit freshwater shower (recessed)

Rubrail - high density PVC w/stainless steel insert

Cockpit lights - blue LED Seating - foldaway aft bench seat w/cushion

Cockpit side door - port w/boarding ladder	Seating - port & starboard bow seating w/forward facing foldaway bolstered backrest (2)	
Cutting board		
Deck hardware - 316 grade stainless steel through-bolted	Stereo - Deluxe stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity & helm subwoofer; speakers w/LED lights - bow (2), helm (2), T-top (2)	
Dockside power w/galvanic isolator		
Drink holders - stainless steel (8)	Stern eyes - 316 grade stainless steel	
Engine flush system w/hose attachment aft (one per engine)	Storage - aft transom box	
Factory engine pre-rigging	Storage - forward anchor locker w/rode storage	
Fish box - 204-qt. (193.1 l) port & starboard insulated fish box w/ob drain (2)	Transom door - fiberglass	
Fish box - 291-qt. (275.4 I) aft insulated fish box w/lights (2) & ob drain	Washdown - freshwater (forward & aft)	
Forward bolsters	Washdown - pressurized raw water (forward & aft) w/hose	
	Water tank - 35-gallon (132 I) freshwater	
Console		
Accessory outlet - 5V duplex USB port	Phone charger (wireless) - helm mounted	
Accessory outlet - 12V	Seating - molded forward console seat w/cushion	
Compass	Steering - Helm Master® EX w/Full Maneuverability	
Console ventilator	Steering wheel - 316 grade stainless steel w/knob	
Door - lockable acrylic console door	T-top w/painted aluminum frame, radio box, storage net, tri- colored (red, blue, white) LED recessed lights (4), fore/aft spreader lights (3), rod holders (4), radar flat & outrigger plates	
Drink holders - stainless steel (3)		
Flush mount electronics area		
Footrest - molded console footrest	Window - tinted frameless glass	
	Windshield - laminated glass integrated w/T-top w/electromechanically operated center vent	
	Windshield wiper - pantograph w/washer	
Console Interior		
Accessory outlet - 5V duplex USB port	Lighting - recessed	
Berth - cushioned berth forward w/flip-up backrest	Rod storage - vertical (6)	
Carbon monoxide detector	Storage - bulk storage aft	
Composite cherry & holly sole	Storage - cabinet with door aft	
Drink holder - stainless steel (1)	Storage - storage pockets	
Head - lockable console w/stand up head area, shower, Corian® countertop with sink, drawers, fold down seat & VacuFlush® head w/freshwater supply, 10-gallon (37.9 l) holding tank, overboard		

discharge & deck pump out

Deluxe Lean Bar

Footrests - fold down (2)

Knife & plier holders (2)

Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station - lean bar station w/freshwater shower, 104-qt. (98.4 l) cooler & cutting board

Rod holders (6)

Seating - lean bar mounted Command Elite helm chairs (3) horizontally adjustable w/deluxe cushioning & flip-up bolsters

Storage - lockable storage drawers

Storage - lockable w/tackle trays

OPTIONAL FEATURES

Options

Air conditioning - 6,000 BTU in console w/2 outlets at helm (requires generator option)

Bow thruster

Casting platform insert w/cushion

CE certification package (European Conformity)

Cockpit step - starboard

Freezer - aft refrigerator/freezer fish box w/digitally controlled thermostat & ob drain (requires generator option)

Generator - 5kW diesel, 12-gal. (45.4 I) fuel capacity

Grill - 1300W (requires generator) (in lieu of lean bar cooler)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

International AC electrical conversion - 220V (50Hz)

Lighting - underwater blue LED (4)

Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)

Microwave - 120V (60Hz)

Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles

Stabilizer - Seakeeper® 3 gyroscopic stabilization system (requires generator option)

SureShade® integrated electrically retractable cockpit shade w/Sunbrella® canvas (oyster)

Table - fiberglass bow table (requires casting platform insert)

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Water heater - 6 gallon (22.7 l) (includes hot water cockpit shower) (requires generator option)

Canvas Options

Easy up bow shade (ivory mesh)

T-top side wing curtains (ivory)