



(508) 563-7102  
 1280 MA-28A,  
 Cataumet, MA 02534

# Express 330

33' Express Cabin



## Express 330 Main Specifications

<b>Beam Amidships</b>	11'7" (3.53 m)
<b>Center Line Length w/o Engines</b>	33'6" (10.21 m)
<b>Bridge Clearance</b>	9'10" (3.00 m)
<b>Cockpit Depth</b>	29" (0.74 m)
<b>Hull Draft</b>	25" (0.64 m)
<b>Transom Deadrise</b>	20 degrees ( <a href="#">SeaVee® progression</a> )
<b>Maximum HP</b>	900 (671 kW)
<b>Fuel Capacity - Standard</b>	331 gal. (1253 l)
<b>Weight w/o Engines</b>	10,840 lb. (4917 kg)

## Express 330 Features & Options

### STANDARD FEATURES

#### Safety

Automatic bilge pumps (2) (total 3000 GPH) (11,356 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails

Composite stringer system & transom - water impervious

#### Cabin

Accessory outlet - 12V

Air conditioning - 12,000 BTU

Berth - aft double berth

Berth - forward vee berth

Carbon monoxide detector

Door - lockable w/screen & companionway hatch

Forward hatch - low profile acrylic hatches w/retractable screen & shade (2)

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Yamaha Siren Marine Vessel Monitoring System

Mirrors

Refrigerator - stainless steel

Rod storage racks - horizontal (6)

Stereo system w/waterproof touch screen display, AM/FM tuner & Wi-Fi & Bluetooth® connectivity; speakers (2)

Storage - cherry galley cabinets

Storage - under berth compartments

Storage nets

Galley - port galley w/sink, light & Corian® cutting board

Head - enclosed ventilated head area w/lighting, sink, shower, storage cabinet & VacuFlush® marine head w/freshwater supply, 10-gallon (37.9 l) holding tank, overboard discharge & deck pump out

Lighting - recessed throughout w/dimmers

Lighting - step lights (2)

Lighting - reading (2)

Microwave oven - 120V (60Hz)

## Cockpit & Deck

100% hand laid SeaV<sup>2</sup> hull & deck

Accessory outlet - 5V duplex USB port

Accessory outlet - 12V

Anchor windlass w/remote switches at helm & windlass

Batteries (4) w/battery select switches (one per engine) & charger system (1)

Bow pulpit w/roller

Cleats

Cockpit bolsters

Cockpit freshwater shower w/hot & cold mixer (recessed)

Cockpit lights - blue LED

Cockpit side door - port w/boarding ladder

Companion grab rail

Compass

Cooler - 56-qt. (53 l) port helm seat cooler

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Dockside water inlet

Drink holders - stainless steel (8)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fighting chair reinforcement

Fish box - 254-qt. (240.4 l) aft insulated fish box w/lights (2) & ob drain

Stove - electric glass top

Table - cherry

Teak & holly sole

TV - 28" LED flat screen w/HDMI inlet

Water heater - 6-gallon (22.7 l), 120V

Water tank - 44-gallon (166.6 l) freshwater

International lighting

Livewell - 45-gallon (170.3 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Phone charger (wireless) - helm mounted

Rod holders - cockpit (3)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - Command Elite helm chair (1) horizontally & vertically adjustable w/deluxe cushioning & flip-up bolster

Seating - foldaway aft bench seat w/cushion

Seating - helm area surround seating

Sink - port cockpit freshwater sink w/faucet

Steering - Helm Master® EX w/Full Maneuverability

Steering wheel - 316 grade stainless steel w/knob

Stereo system w/waterproof touch screen display, AM/FM tuner & Wi-Fi & Bluetooth® connectivity; speakers w/LED lights - hardtop (2), cockpit (2)

Stern eyes - 316 grade stainless steel

Storage - aft deck lift out box

Storage - electromechanically operated electronics enclosure

Storage - forward anchor locker w/rode storage

Storage - port tackle drawers (3)

Storage - under helm area surround seating

Footrest - helm

Generator - 8kW diesel, 13-gallon (11.4 l) fuel capacity

Hardtop - AV<sup>2</sup>® enclosure w/painted aluminum frame, electromechanically sliding sunroof w/screen & shade, electromechanically operated center vent, storage net, LED spreader lights, tri-colored (red, blue, white) LED recessed lights (6), side mounted rod holders (4), outrigger plates & Clear2Sea™ side curtains

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

Storage nets

Table - helm seat table

Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water w/hose (forward & aft)

Windshield - tempered glass

Windshield wiper w/washer

## OPTIONAL FEATURES

### Options

Air conditioning - 12,000 BTU at helm

Bow thruster

CE certification package (European Conformity)

Freezer/refrigerator unit w/digitally controlled thermostat for aft fish box w/ob drain & for port helm seat cooler

Grill - 1300W (in lieu of port cockpit sink)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

International AC electrical conversion - 220V (50Hz)

### Canvas Options

AV<sup>2</sup>® drop curtain (ivory)

Lighting - underwater blue LED (4)

Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles

Refrigerator - stainless steel (replaces port tackle drawers)

Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster

Seating - forward deck sun cushions

Stabilizer - Seakeeper® 3 gyroscopic stabilization system

SureShade® electrically retractable cockpit shade w/Sunbrella® canvas (oyster)