



(508) 563-7102
1280 MA-28A,
Cataumet, MA 02534

Fisherman 257

25' Center Console



Fisherman 257 Main Specifications

Beam Amidships	8'6" (2.59 m)
Center Line Length w/o Engines	24'9" (7.55 m)
Bridge Clearance	8'5" (2.57 m)
Cockpit Depth	27" (0.69 m)
Hull Draft	20" (0.51 m)
Transom Deadrise	20 degrees (SeaV²® progression)
Maximum HP	400 (298 kW)
Fuel Capacity - Standard	135 gal. (511 l)
Passenger Capacity	10
Weight w/o Engines	4300 lb. (1951 kg)

Fisherman 257 Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Cockpit toe rails

Cockpit & Deck

100% hand laid SeaV² hull & deck

Anchor windlass w/bow roller

Batteries (2) w/battery select switches (one per engine)

Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Cutting board

Composite stringer system & transom - water impervious

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders - cockpit (4)

Rod storage racks - horizontal (6)

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (3)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fish box - 120-qt. (113.6 l) forward port divided insulated fish box w/ob drain

Fish box - 120-qt. (113.6 l) forward starboard insulated fish box w/ob drain

Fish box - 185-qt. (175.1 l) aft insulated fish box w/ob drain

Forward bolsters

Console

Accessory outlet - 12V (2)

Compass

Drink holders - stainless steel (2)

Flush mount electronics area

Footrest - molded console footrest

Head - lockable console w/portable head, dome light, storage shelves & hanging locker

Seating - molded forward console seat w/cushion

Rubrail - high density PVC w/stainless steel insert

Seating - lean bar w/backrest, split flip-up bolster, knife & plier holders, tackle trays, lockable storage & rod holders (4)

Seating - foldaway aft bench seat w/cushion

Seating - port & starboard cushioned bow seating w/forward facing foldaway bolstered backrest (2)

Stereo system w/waterproof touch screen display, AM/FM tuner & Wi-Fi & Bluetooth® connectivity; speakers w/LED lights - bow (2), helm (2)

Stern eyes - 316 grade stainless steel

Storage - forward anchor locker w/rode storage

Transom door - fiberglass

Washdown - pressurized raw water w/hose

Water tank - 20-gallon (75.7 l) freshwater

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel w/knob

Storage nets

T-top w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue, white) LED recessed lights (3) & radar flat

Windshield - scratch resistant acrylic integrated w/T-top

Windshield wiper w/washer

OPTIONAL FEATURES

Options

Casting platform insert w/cushions

CE certification package (European Conformity)

Cockpit step - port

Convenience package - battery charger (1) & dockside power w/galvanic isolator

Cooler - removable 65-qt. (61 l) Yeti cooler under lean bar (in lieu of lockable storage)

Lighting - underwater blue LED (2)

Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles

Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick)

Steering - Helm Master® EX w/Full Maneuverability (requires convenience package)

Head - portable w/in-line macerator, overboard discharge & deck pump out

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Table - fiberglass bow table

Canvas Options

Easy up bow shade (ivory mesh)

T-top wing curtains (ivory)
