

Canyon 306

30' Center Console



Canyon 306 Main Specifications

Beam Amidships	10'7" (3.23 m)
Center Line Length w/o Engines	30'6" (9.30 m)
Bridge Clearance	8'7" (2.62 m)
Cockpit Depth	27" (0.69 m)
Hull Draft	21" (0.53 m)
Transom Deadrise	19.5 degrees (SeaV²® progression)
Maximum HP	700 (522 kW)
Fuel Capacity - Standard	290 gal. (1098 l)
Weight w/o Engines	6950 lb. (3152 kg)

Canyon 306 Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Cockpit toe rails

Composite stringer system & transom - water impervious

Cockpit & Deck

100% hand laid SeaV² hull & deck

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (3) w/battery select switches (one per engine)

Cleats - flush mount (pull up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Cockpit side door - port w/boarding ladder

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

Integrated outboard mounting system w/swim platform & ladder

International lighting

Rod holders - bow (2), cockpit (6)

Rod storage - lockable horizontal (6)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - foldaway aft bench seat w/cushion

Cockpit step - starboard

Convenience package - battery charger (1) & dockside power w/galvanic isolator

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (7)

Engine flush system w/hose attachment aft (one per engine)

Fish box - 150-qt. (142 l) port & starboard insulated fish box w/ob drain (2)

Fish box - 304-qt. (287.7 l) aft insulated fish box w/divider, light & ob drain

Forward bolsters

Hydraulic trim tabs w/indicator & retractor

Console

Accessory outlet - 5V duplex USB port

Accessory outlet - 12V

Compass

Console grab rails

Console ventilator

Door - lockable acrylic console door

Drink holders - stainless steel (3)

Factory engine pre-rigging

Flush mount electronics area

Footrest - molded console footrest

Deluxe Lean Bar

Drink holders - stainless steel (2)

Footrests - fold down (2)

Knife & plier holders

Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full

Seating - port & starboard bow seating w/forward facing foldaway bolstered backrest (2)

Stereo - Deluxe stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity & helm subwoofer; speakers w/LED lights - bow (2), T-top (2), cockpit (2)

Stern eyes - 316 grade stainless steel

Storage - forward anchor locker w/rode storage

Transducer mounting flats

Transom door - fiberglass

Washdown - freshwater (forward & aft) w/hose

Washdown - pressurized raw water (forward & aft) w/hose

Water tank - 32-gallon (121.1 l) freshwater

Head - lockable console w/lighting, shower, sink, bulk storage drawers, helm access door w/light, composite cherry & holly sole, fold down seat & marine head w/electric flush, 7.5-gallon (28 l) holding tank w/macerator, overboard discharge & deck pump out

Seating - molded forward console seat w/cushion

Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick)

Steering wheel - 316 grade stainless steel w/knob

Storage - under footrest

T-top - fiberglass w/painted aluminum frame, radio box, storage net, tri-colored (red, blue, white) LED recessed lights (4), fore/aft spreader lights, rod holders (4), radar flat & outrigger plates

Window - tinted frameless acrylic

Windshield - laminated glass integrated w/T-top

Windshield wiper w/washer

Rod holders (4)

Seating - lean bar mounted Command Elite helm chairs (2) horizontally adjustable w/deluxe cushioning & flip-up bolsters

Storage - lockable storage drawers

column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Storage - lockable w/tackle trays

Rigging station - freshwater sink w/pullout faucet & insulated bait box

OPTIONAL FEATURES

Options

Bow thruster

Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles

Casting platform insert w/cushions

Steering - Helm Master® EX w/Full Maneuverability

CE certification package (European Conformity)

Table - fiberglass bow table

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Lighting - underwater blue LED (3)

Canvas Options

Easy up bow shade (ivory mesh)

T-top side wing curtains (ivory)

SureShade® electrically retractable cockpit shade w/Sunbrella® canvas (oyster)