

Freedom 325

32' Dual Console



Freedom 325 Main Specifications

Beam Amidships	10'9" (3.28 m)
Center Line Length w/o Engines	31'2" (9.50 m) (swim platforms not included)
LOA w/Swim Platforms	33'1" (10.08 m)
Bridge Clearance	8'7" (2.62 m)
Cockpit Depth	27" (0.69 m)
Hull Draft	24" (0.61 m)
Transom Deadrise	20 degrees (SeaV ² ® progression)
Maximum HP	700 (522 kW)
Fuel Capacity - Standard	288 gal. (1090 l)
Weight w/o Engines	9300 lb. (4218 kg)

Freedom 325 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pumps (2) (total 3000 GPH) (11,356 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Cockpit toe rails

Composite stringer system & transom - water impervious

Cockpit & Deck

100% hand laid SeaV² hull & deck

Accessory outlet - 5V duplex USB port (2)

Accessory outlet - 12V (2)

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (4) w/battery select switches (one per engine) & charger system (1)

Cleats - flush mount (pull-up)

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

International lighting

Livewell - 32-gallon (121 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4146 LPH)

Rod holders - cockpit (3), transom (1)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe companion bench seat (port) w/aft facing

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Cockpit side door - port w/boarding ladder

Companion grab rail

Compass

Console grab rail (port)

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders - stainless steel (13)

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fish/ice box - 180-qt. (170 l) starboard bow insulated box w/ob drain

Fish/ice box - 254-qt. (240 l) aft insulated box w/light & ob drain

Flush mount electronics area

Footrests - helm & companion

Forward bolsters

Hardtop - AV²® enclosure w/painted aluminum frame, grab rail, storage net, LED spreader lights, tri-colored (red, blue, white) LED recessed lights (6), hatch, side mounted rod holders (4), outrigger plates, Clear2Sea™ side curtains (ivory) & SureShade® electrically retractable shade w/Sunbrella® canvas (oyster)

Hydraulic trim tabs w/indicator & retractor

Console Interior

Accessory outlet - 5V duplex USB port (2)

Accessory outlet - 12V (1)

Carbon monoxide detector

electromechanically extendable lounge seat & Corian® countertop

Seating - Deluxe helm seating w/electromechanically extendable, full width starboard lounge seat (will remove starboard wet bar & cockpit step)

Seating - foldaway aft bench seat w/cushion

Seating - port & starboard bow cushioned seating

Steering - Helm Master® EX w/Full Maneuverability

Steering wheel - 316 grade stainless steel w/knob

Stereo - Deluxe stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity, helm subwoofer & remote unit; speakers w/LED lights - bow (2), hardtop (4)

Stern eyes - 316 grade stainless steel

Storage - forward anchor locker w/rode storage

Storage - port bow storage box

Storage - transom tackle storage compartment

Sun platform insert w/cushion

Swim platforms - aft port & starboard extensions w/starboard ladder & storage

Table - fiberglass bow table (doubles as sun platform insert)

Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water, forward & aft

Water tank - 30-gallon (114 l) freshwater

Windshield - full protection walk-through tempered glass w/stainless steel header, electromechanically operated center vent & windbreak door

Windshield wipers - pantograph w/washer (2)

Composite cherry & holly soles

Portside console w/sink, cedar lined storage closet, indirect lighting, extended storage area, fold down seat w/cushion & VacuFlush® head w/freshwater supply, 10-gallon (38 l) holding tank, overboard discharge & deck pump out

Starboard console w/cushioned berth, bulk storage & indirect lighting

OPTIONAL FEATURES

Options

Air conditioning - 8,000 BTU in consoles w/2 outlets at helm (requires generator option)

Bow thruster

CE certification package (European Conformity)

Generator - 5kW diesel (12-gallon) (45 l)

Hardtop color - underside of fiberglass hardtop (requires matching gelcoat hull color)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Canvas Options

Aft curtain (ivory)

Bow cover (ivory)

International AC electrical conversion - 220V (50Hz)

Lighting - underwater blue LED (3)

Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles

Ski pylon (in lieu of rod holder)

Wet bar - Deluxe wet bar w/Corian® countertop, sink, stainless steel drawers (3), refrigerator & trash compartment (in lieu of companion lounge seat)

Drop curtain (ivory)

Easy up bow shade (ivory mesh)