

Freedom 415

41' Dual Console



Freedom 415 Main Specifications

Beam Amidships	13'8" (4.17 m)
Center Line Length w/o Engines	40'7" (12.37 m)
Bridge Clearance	10'3" (3.12 m)
Cockpit Depth	28" (0.71 m)
Hull Draft	34" (0.86 m)
Transom Deadrise	21 degrees (SeaV²® progression)
Maximum HP	1800 (1342 kW)
Fuel Capacity - Standard	520 gal. (1968 l)
Weight w/o Engines	22,950 lb. (10,410 kg)

Freedom 415 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pumps (2) (total 3000 GPH) (11356 LPH)

Basic flotation

Bow grab rails - low profile 316 grade stainless steel

Composite stringer system & transom - water impervious

Fire extinguisher holder

Cockpit & Deck

100% hand laid SeaV² hull & deck

Accessory outlet - 5V USB & USB C ports (5)

Accessory outlet - 12V (1)

Air conditioning - 18,000 BTU at helm

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (8) total, (6) w/Yamaha Battery Management System

Bow thruster

Cleats - flush mount (pull up) (8)

Nonskid fiberglass liner

Self-bailing cockpit w/high-volume scupper system

Stainless steel through-hull fittings

Yamaha Siren Marine Vessel Monitoring System

Livewells (2) - 35-gallon (132 l) port & starboard aft insulated raw water livewells w/light, full distribution inlet & overboard drain (1500 GPH pump) (5678 LPH)

Phone charger (wireless) - helm mounted

Rod holders - cockpit (4)

Rubrail - high density PVC w/stainless steel insert

Seating - electrically adjustable deluxe contoured helm captain's chairs w/flip-up bolsters & fold-down armrests (2)

Seating - aft facing deluxe mezzanine seat w/fold-down armrests, air conditioning, grab rails, accessory outlet &

Cockpit bolsters

Cockpit lights - blue LED lighting

Cockpit side doors - port & starboard w/boarding ladder

Compass

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator & 35' Glendinning retractable shore power cord

Drink holders - stainless steel (25)

Easy up bow shade (ivory mesh)

Electrical system management - Czone® DC digital switching

Engine flush system - Reverso® electric self-cycling

Factory engine pre-rigging

Fender cleats - Phender Pro™ quick-release

Fish box - 459-qt. (434 l) aft insulated fish box w/lights, overboard drain & refrigerator/freezer w/digitally controlled thermostat

Flush mount electronics area

Footrest - helm

Forward bolsters

Fuel capacity - 520 gallons (1968 l) (2 - 260 gal. tanks)

Generator - 12 kW diesel, 30-gallon (114 l) fuel capacity

Hardtop - AV²® enclosure w/painted aluminum frame, grab rails, electromechanically sliding sunroof w/screen & shade, storage net, LED spreader lights (2), bi-colored (blue, white) LED recessed lights (9), storage compartment, outrigger plates, horizontal hanging rod holders (4), side mounted rod holders (4), electromechanical fold down 24" LED flat screen TV & SureShade® electrically retractable shade with Sunbrella® canvas (oyster)

International lighting

Lighting - underwater blue LED (3)

drink holders

Seating - foldaway aft bench seat w/cushion

Seating - port & starboard bow deluxe cushioned surround seating

Seating - companion helm bench seats w/independently, electrically adjustable teak tables (2)

Stabilizer - Seakeeper® 6 gyroscopic stabilization system

Steering - Helm Master® EX w/Full Maneuverability

Steering wheel - 316 grade stainless steel Edson Wheel w/knob

Stereo - Deluxe stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity, subwoofers - helm (1), cockpit (1); speakers w/LED lights - bow (2), hardtop (2), cabin console (2), cockpit (2)

Stern eyes - 316 grade stainless steel

Storage - 59-qt. port & starboard bow insulated box w/overboard drain

Storage - forward anchor locker w/rode storage

Storage - helm floor compartment

Storage - port box under companion helm bench seat

Tables - electrically adjustable teak tables at bow (2)

Trim control - Zipwake® auto-leveling dynamic trim system

Washdown - pressurized raw water - aft w/35' Glendinning retractable hose

Washdown - cockpit freshwater shower (recessed) - aft cockpit w/20' Glendinning retractable hose w/hot & cold mixer

Washdown - cockpit freshwater shower (recessed) - forward w/20' Glendinning retractable hose

Water heater - 11-gallon (42 l) (includes hot water cockpit shower)

Water reservoir - raw water sea chest

Water tank - 55-gallon (208 l) freshwater

Wet bar w/Dekton sintered stone counter top, electrically retracting storage door, 1300W grill, refrigerator, sink, cutting board, storage drawers, trash bin & indirect courtesy lights (blue, white)

Windshield - full protection walk-through glass

w/electromechanically actuated center vent & windbreak door

Windshield wipers - pantograph w/washer - freshwater (2)

Console Interior

Accessory outlet - 5V duplex USB and USB C port

Air conditioning - 18,000 BTU in portside cabin console w/additional outlet in starboard console

Carbon monoxide detector

Portside cabin console w/lockable sliding door, teak wood sole, fold down table, mirror, microwave, aft berth, bench seat w/cushioned berth insert, carbon monoxide monitor, flat screen 24" LED-LCD TV w/HDMI inlet, indirect lighting, skylight w/blackout privacy shade & solid oak cabinetry with fluted inlays

Starboard console w/lockable sliding door, teak wood sole, shower, quartz counter top, hand hammered nickel sink, trash bin, indirect lighting, solid oak cedar lined closet with fluted inlays, bulk storage, mirror, skylight w/blackout privacy shade, fold down seat & VacuFlush® head w/freshwater supply, 20-gallon (76 l) holding tank, overboard discharge & deck pump out

OPTIONAL FEATURES

Options

CE certification package (European Conformity)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Canvas Options

Aft curtain (ivory)

Bow cover (ivory)

International AC electrical conversion - 220V (50Hz)

Outrigger kit - 22-ft. (6.7 m) GEMLUX® carbon fiber outriggers w/polished stainless steel base

Clear2Sea™ drop curtain (ivory)